




Cangzhou Weisitai Scaffolding Co.,Ltd

Industrial zone of Botou, Cangzhou, Hebei, China
TEL: 86-317- 5660798 FAX: 86-317-5569940 Email: admin@wstsc scaffolding.com

Scaffolding Accessories

Our main scaffolding accessories are jack base,u head,base plate,thread rod and jack nut etc, with various size and types, they can be used with most types of scaffolding system.






1. Jack Base and U Head

Material	Q235 Steel or 20# steel
Finish	Original, Painted, Electro Galvanized,HDG
Color	Self Color, Silver or golden color
Strength	80KN---230KN
Type	Both solid item & hollow items are OK, for hollow items, the tube thickness is 4mm



Cangzhou Weisitai Scaffolding Co.,Ltd


Industrial zone of Botou, Cangzhou, Hebei, China
 TEL: 86-317- 5660798 FAX: 86-317-5569940 Email: admin@wstsc scaffolding.com

Adjustable Jack Base (Hollow or Solid)		
Picture	Tube diameter	30/32/34/38mm etc, Customized Diameter is OK
	Tube Length	400/600mm etc, Customized Length is OK
	Base Plate Size	120*120*5mm 150*150*5mm etc, Customized Size is OK
	Jack Nut	Various Shape and weight are available
	Application	Jack base is located in the bottom of the standards, can provide adjustment for variations in ground levels
Adjustable U Head		
Picture	Tube diameter	30/32/34/38mm etc, Customized Diameter is OK
	Tube Length	400/600mm etc, Customized Length is OK
	U Plate Size	120*120*50*4mm 120*120*50*5mm 150*150*50*4mm 150*150*50*5mm etc, Customized Size is OK
	Jack Nut	Various Shape and weight are available
	Application	U Heads are used in conjunction with either Adjustable Steel Props or System Scaffolding to hold timer beams and formwork accessories in place
Swivel Jack Base		
Picture	Tube diameter	35/38mm etc, Customized Diameter is OK
	Tube Length	600/760mmmm etc, Customized Length is OK
	Base Plate Size	120*120*5mm 150*150*mm etc, Customized Size is OK
	Jack Nut	Various Shape and weight
	Application	Scaffolding Swivel Jacks locate in the bottom of the standards, they provide adjustment to cope with variations in ground levels, and they have the ability to swivel to cope with slopes etc.




Cangzhou Weisitai Scaffolding Co.,Ltd

Industrial zone of Botou, Cangzhou, Hebei, China
 TEL: 86-317- 5660798 FAX: 86-317-5569940 Email: admin@wstsc scaffolding.com

U folk Head (Hollow or Solid)		
Picture	Tube diameter	28/30/32/34/35/38/48mm etc, Customized Diameter is OK
	Tube Length	200/280/600/760mm etc, Customized Length is OK
	U Folk head plate Size	Plate : 230*145*5mm Legs:30*30*3*190mm
	Jack Nut	Various Shape and weight
	Application	U folk Heads are used in conjunction with either Adjustable Steel Props or System Scaffolding to hold timer beams and formwork accessories in place

2. Base Plate



Material	Q235 Steel or 20# steel
Finish	Original, Painted, Electro Galvanized, HDG
Color	Self Color, Silver or golden color
Application	To stabilize and support scaffolding
Strength	80KN---160KN

Adjustable Jack Base Plate (Hollow or Solid)		
Picture	Tube diameter	30/32/34/38mm etc, Customized Diameter is OK
	Tube Length	100mm, 150mm or customized
	Plate Size	120*120*5mm 150*150*mm etc, Customized Size is OK
	Solid or Hollow	Both solid item & hollow items are OK, for hollow items, the tube thickness is 4mm
	Hole on the tube or plate	Customized



Cangzhou Weisitai Scaffolding Co.,Ltd

Industrial zone of Botou, Cangzhou, Hebei, China
 TEL: 86-317- 5660798 FAX: 86-317-5569940 Email: admin@wstsc scaffolding.com

Adjustable U Head Plate (Hollow or Solid)		
	Tube diameter	30/32/34/38mm etc, Customized Diameter is OK
	Tube Length	100mm, 150mm or customized
	Plate Size	120*120*50*4mm 120*120*50*5mm 150*150*50*4mm 150*150*50*5mm etc, Customized Size is OK
	Solid or Hollow	Both solid item & hollow items are OK, for hollow items, the tube thickness is 4mm
	Hole on the tube or plate	Customized
U folk Head Jack (Hollow or Solid)		
	Tube diameter	32/38mm etc, Customized Diameter is OK
	Tube Length	100mm, 150mm or customized
	U Folk head plate Size	Plate : 230*145*5mm Legs:30*30*3*190mm
	Solid or Hollow	Hollow, 4mm thick
	Hole on the tube or plate	Customized

3. Jack Nut

Material	Ductile Casted Iron QT450-10
Finish	Original , Painted, Electro Galvanized, HDG
Color	Original Self Color, Silver or golden color
Application	To adjust the height of the scaffolding and help to keep balance.



Cangzhou Weisitai Scaffolding Co.,Ltd

Industrial zone of Botou, Cangzhou, Hebei, China

TEL: 86-317- 5660798 FAX: 86-317-5569940 Email: admin@wstsc scaffolding.com



Code:WST106
Size:OD38*6mm
Weight:0.5kg



Code:WST108
Size:OD38*6.35mm
Weight:0.83kg



Code:WST109
Size:OD32*6.35mm
Weight:0.28kg



Code:WST110
Size:OD48*6.35mm
Weight:1.4kg



Code:WST111
Size:OD45*6.35mm
Weight:0.49kg



Code:WST112
Size:OD34*6.35mm
Weight:0.8kg



30MM
0.25kg



30/32/34MM
0.3/0.28/0.26kg



38MM
0.5kg



38MM
0.6kg



48MM
1.16kg

Remark: More types or customized types are available

